

Z-3021

Handheld Laser Scanner



- Built-in decoder
- Latest ID design for operation comfort and durability
- Scanning signals of LED light and programmable beeper
- Flexible communications

This handheld laser scanner, Z-3021, is newly designed in a rugged finish by elastic rubber protection, and a durable yet bigger trigger for an easier operation touch to even the heaviest usage.

With built-in decoder, the Z-3021 recognizes and decodes the major and popular 1D barcodes on the market with superior scanning performance. The Z-3021 is ergonomically "Aim-And-Shoot" design to use intuitively and minimizes operator training.

Multi-interface, larger LED scan indicator and programmable beep tone, thoughtful design and advanced features, the Z-3021 laser scanner certainly adapts to you and your business needs with competitive pricing, so fulfill the demand for a cost-saving, performance-maximized by Z-3021.

OPERATIONAL

Light Source	650 nm visible laser diode (LVD)
Depth of Field	10 – 220 mm (UPC/EAN 100%)
Scan Rate	40 scans per second
Scan Angle	42°
Scan Pattern	Single
Minimum Bar Width	0.125 mm (5 mil) (0.1 mm actually) (Code 39, PCS=90%)
Print Contrast	30% @ UPC/EAN 100%
Indicators (LED)	Blue LED
Beeper Operation	Programmable tone & beep time
System Interfaces	Keyboard, RS-232C, USB1.1, wand

PHYSICAL

Dimensions	(L)172.0 × (W)72.9 × (H)121.1 mm
Weight	150 g (cable excluded)
Cable	Standard 2.0M straight

POWER

Input Voltage	5 VDC ±5%
Operating Current	120 mA

REGULATORY

Laser Safety	IEC 60825-1 Class 2
---------------------	---------------------

ENVIRONMENTAL

Operating Temperature	0°C – 50°C (32°F – 122°F)
Storage Temperature	-20°C – 60°C (-4°F – 140°F)
Humidity	20% – 85% RH (non-condensing)
Light Levels	Max. 10,000 Lux (fluorescence)
Shock	Designed to withstand 1.5M drops



Product availability and specifications depend on territory market strategy; all are subjects to change without prior notice. ZEBEX is the trademark of ZEBEX INDUSTRIES INC., all rights reserved.

ZEBEX
www.zebex.com